

Certificate of Analysis

Sample Name: Tincture - 1200 Orange

LIMS Sample ID: 190721M003 Batch #: 2019070104

Sample Metrc ID:

Sample Type: Tincture, Non-Inhalable

Batch Count: Sample Count:

Unit Mass: 28.044 Grams per Unit

Serving Mass:

Density: 0.9348 g/mL

Date Collected: 07/21/2019

Date Received: 07/21/2019

Tested for: CBD For The People

License #:

Address: 2500 Alton Pkwy Irvine, CA 92606

Produced by:

License #: Address:

Overall result for batch 2019070104: Pass

Moisture Test Results

Moisture Results (%)

Water Activity Test Results

Results (Aw) Action Limit Aw

Cannabinoid Test Results

07/23/2019

Terpene Test Results

Cannabinoid analysis utilizing High Performance Liquid Chromatography (HPLC, QSP 5-4-4-4)

LOD / LOQ mg/g mg/g 0.351 Δ9ΤΗС 0.0351 0.0009 / 0.003 THCa 0.0009 / 0.003 ND ND CBD 4.1644 0.0009 / 0.003 41.644 0.0009 / 0.003 **CBDa** 0.2659 2.659 0.0009 / 0.003 CBN ND ND 0.0004 / 0.001 0.192 0.0192 CBDV **CBDVa** ND ND 0.0003 / 0.001 CBG ND ND 0.001 / 0.003 ND ND 0.0008 / 0.002 0.0004 / 0.001 CBGa THCV ND ND Δ8ΤΗС ND ND 0.0009 / 0.003 0.0533 0.0011 / 0.003 CBC. 0.533 THCVa ND ND 0.0013 / 0.004 **CBL** ND ND 0.0021 / 0.006 0.0015 / 0.005 CBCa ND ND

 Sum of Cannabinoids:
 45.379
 4.5379
 1272.609 mg/Unit

 Total THC (Δ9THC+0.877*THCa)
 0.351
 0.0351
 9.843 mg/Unit

 Total CBD (CBD+0.877*CBDa)
 43.976
 4.3976
 1233.263 mg/Unit

Terpene analysis utilizing Gas Chromatography - Flame Ionization Detection (GC - FID)

leshamed

Batch Photo





Sample Certification

California Code of Regulations Title 16 Effect Date January 16, 2019
Authority: Section 26013, Business and Professions Code.
Reference: Sections 26100, 26104 and 26110, Business and Professions Code.



Scan to verify at sclabs.com Sample must be marked as public to be viewable

Josh Wurzer, President Date: 08/05/2019

CoA ID: 190721M003-001 - Page 1 of 3



Certificate of Analysis

Sample Name: Tincture - 1200 Orange

LIMS Sample ID: 190721M003 Batch #: 2019070104

Sample Metrc ID:

Sample Type: Tincture, Non-Inhalable

Batch Count: Sample Count:

Unit Mass: 28.044 Grams per Unit

Serving Mass:

Density: 0.9348 g/mL

Date Collected: 07/21/2019

Date Received: 07/21/2019

Tested for: CBD For The People

License #:

Address: 2500 Alton Pkwy Irvine, CA 92606

Produced by:

License #:
Address:

Overall result for batch 2019070104: Pass

Pesticide Test Results - Pass

07/23/2019

Pesticide, Fungicide and plant growth regulator analysis utilizing

HPLC-Mass Spectrometry

| | Results (µg/g) | Action Limit µg/g | Reporting Limit µg/g |
|------|---|---|---|
| Pass | ND | 0.3 | 0.091 |
| Pass | ND | 5.0 | 0.035 |
| Pass | ND | 0.5 | 0.038 |
| Pass | ND | 10.0 | 0.023 |
| Pass | ND | 1.5 | 0.022 |
| Pass | ND | 3.0 | 0.050 |
| Pass | ND | 9.0 | 0.044 |
| Pass | ND | 8.0 | 0.020 |
| Pass | ND | 1.0 | 0.036 |
| Pass | ND | 3.0 | 0.031 |
| Pass | ND | 12.0 | 0.015 |
| Pass | ND | 13.0 | 0.042 |
| | Pass Pass Pass Pass Pass Pass Pass Pass | Pass ND | Pass ND 0.3 Pass ND 5.0 Pass ND 0.5 Pass ND 10.0 Pass ND 1.5 Pass ND 3.0 Pass ND 9.0 Pass ND 8.0 Pass ND 1.0 Pass ND 3.0 Pass ND 12.0 |

Heavy Metal Test Results - Pass

07/23/2019

Heavy metal analysis utilizing Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

| | | Results (µg/g) | Action Limit µg/g | LOD / LOQ µg/g |
|---------|------|----------------|-------------------|----------------|
| Cadmium | Pass | ND | 0.5 | 0.012 / 0.035 |
| Lead | Pass | ND | 0.5 | 0.031 / 0.095 |
| Arsenic | Pass | 0.054 | 1.5 | 0.013 / 0.039 |
| Mercury | Pass | ND | 3.0 | 0.002 / 0.005 |

Mycotoxin Test Results

Mycotoxin analysis utilizing HPLC-Mass Spectrometry

Results (μg/kg) Action Limit μg/kg LOD / LOQ μg/kg

Aflatoxin BT, BZ, GT, GZ

NIT

Sample Certification

California Code of Regulations Title 16 Effect Date January 16, 2019
Authority: Section 26013, Business and Professions Code.
Reference: Sections 26100, 26104 and 26110, Business and Professions Code.



Scan to verify at sclabs.com Sample must be marked as public to be viewable Josh Wurzer, President Date: 08/05/2019

CoA ID: 190721M003-001 - Page 2 of 3



Certificate of Analysis

Sample Name: Tincture - 1200 Orange

LIMS Sample ID: 190721M003 Batch #: 2019070104

Sample Metrc ID:

Sample Type: Tincture, Non-Inhalable

Batch Count: Sample Count:

Unit Mass: 28.044 Grams per Unit

Serving Mass:

Density: 0.9348 g/mL

Date Collected: 07/21/2019

Date Received: 07/21/2019

Tested for: CBD For The People

License #:

Address: 2500 Alton Pkwy Irvine, CA 92606

Produced by:

License #:
Address:

Overall result for batch 2019070104: Pass

Residual Solvent Test Results - Pass

07/23/2019

Note

Residual Solvent analysis utilizing Gas Chromatography - Mass

Spectrometry (GC - MS)

| | Results (µg/g) | Action Limit µg/g | LOD / LOQ µg/g |
|------|--|---|--|
| Pass | ND | 1.0 | 0.111 / 0.336 |
| Pass | ND | 1.0 | 0.043 / 0.132 |
| Pass | ND | 1.0 | 0.064 / 0.195 |
| Pass | ND | 1.0 | 0.136 / 0.413 |
| Pass | ND | 1.0 | 0.172 / 0.521 |
| Pass | ND | 1.0 | 0.040 / 0.120 |
| Pass | ND | 5000.0 | 14.703 / 44.549 |
| Pass | ND | 410.0 | 2.727 / 8.262 |
| Pass | ND | 5000.0 | 5.672 / 17.185 |
| Pass | <loq< td=""><td>5000.0</td><td>11.775 / 35.679</td></loq<> | 5000.0 | 11.775 / 35.679 |
| Pass | ND | 5000.0 | 16.227 / 49.169 |
| Pass | ND | 5000.0 | 11.608 / 35.172 |
| Pass | ND | 5000.0 | 12.982 / 39.336 |
| Pass | ND | 290.0 | 1.816 / 5.502 |
| Pass | ND | 5000.0 | 15.358 / 46.536 |
| Pass | ND | 3000.0 | 15.584 / 47.220 |
| Pass | ND | 5000.0 | 12.355 / 37.434 |
| Pass | ND | 5000.0 | 1.359 / 4.117 |
| Pass | ND | 890.0 | 7.174 / 21.736 |
| Pass | ND | 2170.0 | 34.438 / 104.347 |
| | Pass Pass Pass Pass Pass Pass Pass Pass | Pass ND | Pass ND 1.0 Pass ND 5000.0 Pass ND 410.0 Pass ND 5000.0 Pass ND 5000.0 Pass ND 5000.0 Pass ND 5000.0 Pass ND 290.0 Pass ND 3000.0 Pass ND 3000.0 Pass ND 5000.0 Pass ND 890.0 |

Microbiological Test Results - Pass

07/23/2019

PCR and fluorescence detection of microbiological impurities

| | | Results | Action Limit |
|--|------|---------|--------------|
| Shiga toxin-producing Escherichia coli | Pass | ND | ND |
| Salmonella spp. | Pass | ND | ND |
| Aspergillus fumigatus | | NT | |
| | | NT | |
| | | NT | |
| | | | |

Foreign Material Test Results

NIT

Sample Certification

California Code of Regulations Title 16 Effect Date January 16, 2019 Authority: Section 26013, Business and Professions Code. Reference: Sections 26100, 26104 and 26110, Business and Professions Code.



Scan to verify at sclabs.com Sample must be marked as public to be viewable Josh Wurzer, President Date: 08/05/2019

CoA ID: 190721M003-001 - Page 3 of 3